



1" TIEDOWN ASSEMBLIES

		Series 1,000					
		WEB WIDTH & TYPE		1" Wide Polyester			
		Buckle	Part No. 10' Length**	Part No. 15' Length**	Weight (lbs.)		
 1" Cam Buckle	Flat Hook***	Ratchet	60102	6A102	1.1	 1" Ratchet	
	WORKING LOAD LIMIT	Cam	60110	6A110	.7		
330 lbs.	Stamped Snap Hook	Ratchet	60104	6A104	1.5	WORKING LOAD LIMIT	
ULTIMATE BREAKING STRENGTH 1,000 lbs.	U-Hook	Cam	60113	6A113	1.0	ULTIMATE BREAKING STRENGTH 2,100 lbs.	
		Ratchet	60101	6A101	1.1		
	Hook & Keeper	Cam	60109	6A109	.7		
		Ratchet	60105	6A105	1.5		
	Open Hook	Cam	60114	6A114	1.1		
		Ratchet PE Hook	60103	6A103	1.7		
		Ratchet ZP Hook	60106	6A106	1.6		
		Cam PE Hook	60111	6A111	1.3		
	PE Coated (shown) Zinc Plated (Optional)	Cam ZP Hook	60112	6A112	1.2		
		Type A (Endless)	Ratchet	60107	6A107	.9	
	Cam		60108	6A108	.5		

* Ultimate breaking strength of assembly when new.

** Non-standard lengths available

*** Exception: Series 1,000 Ratchet Assembly with Flat Hooks, WLL is 330-lbs. and Ultimate Breaking Strength is 1,000-lbs.

POPULAR



1" X 15' Ratchet Tiedown Assembly: 16-pc. Display Box
6A103B

Both assemblies have PE coated open hooks.

Our 1" X 12' Retractable Ratchet Tiedown Assembly in a convenient 2-Pack.

60203

RETRACTABLE



RATCHET ASSEMBLIES

		Series 5,000			Series 10,000		
WEB WIDTH & TYPE		2" Wide Polyester			2" Wide Polyester		
* ULTIMATE BREAKING STRENGTH		5,000 lbs.			10,000 lbs.		
WORKING LOAD LIMIT		1,600 lbs.			3,300 lbs.		
	Length**	Standard Part No.	Tuff-Edge® Part No.	Weight (lbs.)	Standard Part No.	Tuff-Edge Part No.	Weight (lbs.)
Flat Hook 	27'	60501	TE60501	4.6	61001	TE61001	5.8
	30'	60502	TE60502	4.8	61002	TE61002	6.0
Stamped Triangle 	27'	60503	TE60503	4.2	61003	TE61003	5.2
	30'	60504	TE60504	4.4	61004	TE61004	5.4
Stamped Snap Hook 	27'	60505	TE60505	4.6	61005	TE61005	6.2
	30'	60506	TE60506	4.8	61006	TE61006	6.4
Twisted Snap Hook 	27'	60507	TE60507	5.2	61007	TE61007	5.6
	30'	60508	TE60508	5.4	61008	TE61008	5.8
Forged Snap Hook 	27'	60509	TE60509	5.8	61009	TE61009	6.4
	30'	60510	TE60510	6.0	61010	TE61010	6.6
D-Ring 	27'	60511	TE60511	4.2	-	-	-
	30'	60512	TE60512	4.4	-	-	-
U-Hook 	27'	60513	TE60513	4.6	26422	TE26422	5.8
	30'	60514	TE60514	4.8	26423	TE26423	6.0
Hook & Keeper 	27'	60515	TE60515	4.8	-	-	-
	30'	60516	TE60516	5.0	-	-	-
Chain Anchor Assembly 	27'	-	-	-	61013	TE61013	13.0
	30'	-	-	-	61014	TE61014	13.2
Type A (Endless) 	27'	60517	TE60517	3.8	61011	TE61011	4.4
	30'	60518	TE60518	4.0	61012	TE61012	4.6

* Ultimate breaking strength of assembly when new.

** Non-standard lengths available.





WARNING

Always protect Tiedowns from being cut by corners and edges.

Note: Since end terminations vary proportionally with size, check with *Lift-All* if critical dimensions are required. Non-standard lengths available upon request.

General Information
Web Slings
Round Slings
Sling Protection
Wire Rope
Chain Slings
Rigging Hardware
Mesh Slings
Load Huggers
Tow Products
Lift-All Hoists
Hoist Rings
Plate Clamps
Lifting Devices


RATCHET ASSEMBLIES

		SERIES 15,000					
WEB WIDTH & TYPE		3" Wide Polyester			4" Wide Polyester		
* ULTIMATE BREAKING STRENGTH		15,000 lbs.			15,000 lbs.		
WORKING LOAD LIMIT		5,000 lbs.			5,000 lbs.		
	Length**	Standard Part No.	Tuff-Edge® Part No.	Wt. (lbs.)	Standard Part No.	Tuff-Edge Part No.	Wt. (lbs.)
Flat Hook 	27'	20482	TE20482	12.8	26424	TE26424	13.6
	30'	20483	TE20483	13.2	26425	TE26425	14.0
Forged Triangle 	27'	20484	TE20484	14.0	26430	TE26430	14.8
	30'	20485	TE20485	14.4	26431	TE26431	15.2
Chain Grab Hook 	27'	20486	TE20486	13.4	26426	TE26426	14.2
	30'	20487	TE20487	13.8	26427	TE26427	14.6
Chain Anchor Assembly 	27'	20488	TE20488	16.8	26432	TE26432	17.6
	30'	20489	TE20489	17.2	26433	TE26433	18.0
U-Hook 	27'	20494	TE20494	13.0	26436	TE26436	13.8
	30'	20495	TE20495	13.2	26437	TE26437	14.2
7-in. Sewn Eye 	27'	20490	TE20490	11.0	26428	TE26428	11.8
	30'	20491	TE20491	11.4	26429	TE26429	12.2
Type A (Endless) 	27'	20492	TE20492	10.6	26434	TE26434	11.4
	30'	20493	TE20493	11.0	26435	TE26435	11.8

* Ultimate breaking strength of assembly when new.

** Non-standard lengths available.

Part No.	SLIDING SLEEVES FOR LOAD HUGGERS (Offered in 1ft Lengths)
60117	1-1/2" Flat Sliding Sleeve for 1" Load Hugger
60118	2-1/2" Flat Sliding Sleeve for 2" Load Hugger
60119	3-1/4" Flat Sliding Sleeve for 3" Load Hugger
60120	4-1/2" Flat Sliding Sleeve for 4" Load Hugger
RATCHET PROTECTOR	
1RP	1" Ratchet Protector
2RP	2" Ratchet Protector
3RP	3" Ratchet Protector
4RP	4" Ratchet Protector
CORNER GUARD	
CG	Corner Guard to be used with 2"- 4" webbing




Sliding Sleeve

- Double-walled tubular product
- Protects Load Hugger webbing from abrasion and helps resist cutting.



Ratchet Protector

- A sewn fabric pad protects surface finish of cargo and ratchet mechanism.



Corner Guard

- A movable, rust-proof copolymer corner guard
- Protects from sharp edges
- Tough enough for chain or webbing