




WEB SLING WEIGHTS*



| Part Number | Minimum Standard Length | | Additional Foot |
|-----------------|-------------------------|--------------|-----------------|
| | ft. | wt.** (lbs.) | wt. (lbs.) |
| UNILINK™ | | | |
| UU1802 | 3 | 2.70 | 0.12 |
| UU1803 | 3 | 5.60 | 0.18 |
| UU1804 | 4 | 9.20 | 0.24 |
| UU2802 | 3 | 2.90 | 0.25 |
| UU2803 | 3 | 5.80 | 0.38 |
| UU2804 | 3 | 9.20 | 0.50 |



| TRIANGLE / CHOKER | | | |
|-------------------|---|-------|------|
| TC1802 | 3 | 3.50 | 0.12 |
| TC1803 | 3 | 6.30 | 0.18 |
| TC1804 | 4 | 9.00 | 0.24 |
| TC1806 | 4 | 21.00 | 0.36 |
| TC1808 | 5 | 27.00 | 0.48 |
| TC1810 | 5 | 48.00 | 0.60 |
| TC1812 | 6 | 65.00 | 0.72 |
| TC2802 | 3 | 3.60 | 0.25 |
| TC2803 | 3 | 6.50 | 0.38 |
| TC2804 | 3 | 9.10 | 0.50 |
| TC2806 | 4 | 21.00 | .76 |
| TC2808 | 4 | 39.00 | 1.00 |
| TC2810 | 5 | 63.00 | 1.30 |
| TC2812 | 5 | 86.00 | 1.50 |






| TRIANGLE / TRIANGLE | | | |
|---------------------|---|-------|------|
| TT1802 | 3 | 2.60 | 0.12 |
| TT1803 | 3 | 4.60 | 0.18 |
| TT1804 | 3 | 6.70 | 0.24 |
| TT1806 | 4 | 15.00 | 0.36 |
| TT1808 | 5 | 19.00 | 0.48 |
| TT1810 | 5 | 36.00 | 0.60 |
| TT1812 | 5 | 44.00 | 0.72 |
| TT2802 | 3 | 2.70 | 0.25 |
| TT2803 | 3 | 4.80 | 0.38 |
| TT2804 | 3 | 7.00 | 0.50 |
| TT2806 | 3 | 15.00 | 0.76 |
| TT2808 | 4 | 28.00 | 1.00 |
| TT2810 | 4 | 46.00 | 1.30 |
| TT2812 | 5 | 60.00 | 1.50 |

* Weights will vary. Published weights are average weights for *Webmaster*® 1600 slings.

** Approximate weight for the minimum standard length as shown.

WEB SLING WEIGHTS*



| EYE / EYE | | | | |
|-------------|-------------------------|------------------|--------------|-------------------------------|
| Part Number | Minimum Standard Length | | | Additional Foot Weight (lbs.) |
| | Sling Length (ft.) | Eye Length (in.) | Wt.** (lbs.) | |
| EE1801 | 3 | 8.5 | 0.40 | 0.06 |
| EE1802 | 3 | 10 | 0.90 | 0.12 |
| EE1803 | 4 | 11 | 1.40 | 0.18 |
| EE1804 | 4 | 12 | 1.90 | 0.24 |
| EE1806 | 5 | 16 | 3.40 | 0.36 |
| EE1808 | 6 | 20 | 5.30 | 0.48 |
| EE1810 | 7 | 24 | 8.00 | 0.60 |
| EE1812 | 7 | 24 | 9.80 | 0.72 |
| EE2801 | 3 | 7 | 0.40 | 0.13 |
| EE2802 | 3 | 7 | 0.90 | 0.25 |
| EE2803 | 4 | 11 | 1.70 | 0.38 |
| EE2804 | 4 | 12 | 2.30 | 0.50 |
| EE2806 | 5 | 16 | 4.90 | 0.76 |
| EE2808 | 6 | 20 | 6.50 | 1.00 |
| EE2810 | 6 | 24 | 9.40 | 1.30 |
| EE2812 | 7 | 24 | 13.0 | 1.50 |
| EE3801 | 4 | 10 | 1.00 | 0.20 |
| EE3802 | 4 | 12 | 2.10 | 0.40 |
| EE3803 | 5 | 14 | 3.70 | 0.59 |
| EE3804 | 5 | 16 | 5.00 | 0.79 |
| EE3806 | 6 | 18 | 7.60 | 1.20 |
| EE3808 | 7 | 24 | 13.00 | 1.60 |
| EE3810 | 7 | 24 | 16.00 | 2.00 |
| EE3812 | 7 | 24 | 20.00 | 2.40 |
| EE4801 | 4 | 10 | 1.10 | 0.26 |
| EE4802 | 4 | 12 | 2.20 | 0.53 |
| EE4803 | 5 | 14 | 4.10 | 0.79 |
| EE4804 | 5 | 16 | 5.50 | 1.10 |
| EE4806 | 6 | 18 | 8.30 | 1.60 |
| EE4808 | 7 | 24 | 15.00 | 2.10 |
| EE4810 | 7 | 24 | 19.00 | 2.60 |
| EE4812 | 7 | 24 | 23.00 | 3.20 |

| ENDLESS | | | |
|-------------|-------------------------|--------------|-------------------------------|
| Part Number | Minimum Standard Length | | Additional Foot Weight (lbs.) |
| | Sling Length (ft.) | Wt.** (lbs.) | |
| EN1801 | 3 | 0.40 | 0.12 |
| EN1802 | 3 | 0.80 | 0.24 |
| EN1803 | 3 | 1.30 | 0.36 |
| EN1804 | 3 | 1.70 | 0.48 |
| EN1806 | 3 | 2.50 | 0.72 |
| EN1808 | 3 | 3.40 | 0.96 |
| EN1810 | 3 | 4.20 | 1.20 |
| EN1812 | 3 | 5.00 | 1.40 |
| EN2801 | 3 | 0.80 | 0.25 |
| EN2802 | 3 | 1.60 | 0.50 |
| EN2803 | 3 | 2.50 | 0.76 |
| EN2804 | 3 | 3.30 | 1.00 |
| EN2806 | 3 | 4.90 | 1.50 |
| EN2808 | 3 | 6.60 | 2.00 |
| EN2810 | 3 | 8.20 | 2.50 |
| EN2812 | 3 | 9.90 | 3.00 |
| EN3801 | 3 | 1.20 | 0.38 |
| EN3802 | 3 | 2.40 | 0.76 |
| EN3803 | 3 | 3.60 | 1.10 |
| EN3804 | 3 | 4.80 | 1.50 |
| EN3806 | 3 | 7.20 | 2.30 |
| EN3808 | 3 | 9.60 | 3.00 |
| EN3810 | 3 | 12.00 | 3.80 |
| EN3812 | 3 | 14.00 | 4.50 |
| EN4801 | 3 | 1.60 | 0.52 |
| EN4802 | 3 | 3.20 | 1.00 |
| EN4803 | 3 | 4.90 | 1.60 |
| EN4804 | 3 | 6.50 | 2.10 |
| EN4806 | 3 | 9.70 | 3.10 |
| EN4808 | 3 | 13.00 | 4.20 |
| EN4810 | 3 | 16.00 | 5.20 |
| EN4812 | 3 | 19.00 | 6.20 |

* Weights will vary. Published weights are average weights for *Webmaster*® 1600 slings.

** Approximate weight for the minimum standard length as shown.

WEB SLING WEIGHTS*



| ATTACHED EYE WIDE-LIFT | | |
|------------------------|----------------------------|-------------------------------|
| Part Number | 10-ft. Sling Weight (lbs.) | Additional Foot Weight (lbs.) |
| WLA1806 | 3.80 | 0.36 |
| WLA1808 | 4.80 | 0.48 |
| WLA1810 | 5.60 | 0.60 |
| WLA1812 | 6.20 | 0.72 |
| WLA1816 | 9.50 | 1.10 |
| WLA1820 | 12.00 | 1.30 |
| WLA1824 | 14.00 | 1.60 |
| WLA2806 | 4.20 | 0.36 |
| WLA2808 | 5.40 | 0.48 |
| WLA2812 | 7.40 | 0.72 |
| WLA2816 | 12.00 | 1.10 |
| WLA2820 | 15.00 | 1.30 |
| WLA2824 | 16.00 | 1.60 |
| WLA2830 | 17.00 | 2.00 |
| WLA2836 | 17.00 | 2.40 |
| WLA2848 | 20.00 | 3.20 |

| CONTINUOUS EYE WIDE-LIFT | | |
|--------------------------|----------------------------|-------------------------------|
| Part Number | 10-ft. Sling Weight (lbs.) | Additional Foot Weight (lbs.) |
| WL1806 | 5.80 | 0.54 |
| WL1808 | 7.10 | 0.66 |
| WL1810 | 8.40 | 0.78 |
| WL1812 | 9.70 | 0.90 |
| WL1816 | 12.00 | 1.10 |
| WL1820 | 15.00 | 1.40 |
| WL1824 | 17.00 | 1.60 |
| WL1830 | 23.00 | 2.20 |
| WL1836 | 27.00 | 2.50 |
| WL2806 | 9.40 | 0.90 |
| WL2808 | 12.00 | 1.10 |
| WL2812 | 17.00 | 1.60 |
| WL2816 | 22.00 | 2.10 |
| WL2820 | 27.00 | 2.60 |
| WL2824 | 31.00 | 3.00 |
| WL2830 | 41.00 | 4.00 |
| WL2836 | 48.00 | 4.60 |

* Weights will vary. Published weights are average weights using *Webmaster*® 1600 webbing.

- General Information
- Web Slings
- Round Slings
- Sling Protection
- Wire Rope
- Chain Slings
- Rigging Hardware
- Mesh Slings
- Load Huggers
- Tow Products
- Lift-All Hoists
- Hoist Rings
- Plate Clamps
- Lifting Devices