

WEBMASTER® 1200 SLINGS

Standard duty *Webmaster* 1200 is designed as an economical sling for less frequent use.




Features and Benefits

Promotes Safety

- Red core yarn warning system aids in the inspection process.
- Proven reliability.
- *Tuff-Tag*™ provides serial numbered identification for traceability.

Saves Money

- Economical option for less frequent use.
- Yellow treatment for abrasion resistance and extended sling life.
- *Tuff-Tag* provides required OSHA information for the life of the sling.



Note: Types 3 and 4 slings are tapered at 3" and wider unless otherwise specified. Type 5 (Endless) slings are NOT tapered unless specified.

*** ⚠ WARNING**
Do not exceed rated capacities. Sling tension increases as the angle from horizontal decreases. Slings should not be used at angles of less than 30°. Refer to the Effect of Angle chart in the General Information section of this catalog. **Always protect synthetic slings from being cut by corners and edges. See the Sling Protection section in this catalog.**

HARDWARE SLINGS TYPES U, 1 & 2					
Ply	Webmaster 1200 Polyester Part No.	Webmaster 1200 Nylon Part No.	Rated Capacity* (lbs.)		
			Vertical	Choker	V. Basket
One Ply	UU1602D	UU1602N	2,400	1,900	4,800
	UU1603D	UU1603N	3,600	2,900	7,200
	UU1604D	UU1604N	4,800	3,800	9,600
	TC1606D	TC1606N	7,200	5,800	14,400
	TT1606D	TT1606N	7,200	-	14,400
Two Ply	UU2602D	UU2602N	4,800	3,800	9,600
	UU2603D	UU2603N	6,600	5,280	13,200
	UU2604D	UU2604N	8,600	6,900	17,200
	TC2606D	TC2606N	12,600	10,100	25,200
	TT2606D	TT2606N	12,600	-	25,200

EYE / EYE (TYPES 3 & 4)**					
One Ply	EE1601DF	EE1601NF	1,200	950	2,400
	EE1602DF	EE1602NF	2,400	1,900	4,800
	EE1603DF	EE1603NF	3,600	2,900	7,200
	EE1604DF	EE1604NF	4,800	3,800	9,600
	EE1606DF	EE1606NF	7,200	5,800	14,400
Two Ply	EE2601DF	EE2601NF	2,400	1,900	4,800
	EE2602DF	EE2602NF	4,800	3,800	9,600
	EE2603DF	EE2603NF	6,600	5,280	13,200
	EE2604DF	EE2604NF	8,600	6,900	17,200
	EE2606DF	EE2606NF	12,300	9,840	24,600
Three Ply	EE3601DF	EE3601NF	3,500	2,800	7,000
	EE3602DF	EE3602NF	7,000	5,600	14,000
	EE3603DF	EE3603NF	9,400	7,500	18,800
	EE3604DF	EE3604NF	12,000	9,600	24,000
	EE3606DF	EE3606NF	18,000	14,400	36,000
Four Ply	EE4601DF	EE4601NF	4,200	3,400	8,400
	EE4602DF	EE4602NF	8,000	6,400	16,000
	EE4603DF	EE4603NF	12,000	9,600	24,000
	EE4604DF	EE4604NF	16,000	12,800	32,000
	EE4606DF	EE4606NF	23,500	18,800	47,000

**Replace the F with a T for Twisted Eyes.

ENDLESS (TYPE 5)					
One Ply	EN1601D	EN1601N	2,400	1,900	4,800
	EN1602D	EN1602N	4,800	3,800	9,600
	EN1603D	EN1603N	6,500	5,200	13,000
	EN1604D	EN1604N	8,600	6,900	17,200
	EN1606D	EN1606N	12,200	9,800	24,400
Two Ply	EN2601D	EN2601N	4,800	3,800	9,600
	EN2602D	EN2602N	9,600	7,700	19,200
	EN2603D	EN2603N	11,700	9,400	23,400
	EN2604D	EN2604N	15,500	12,400	31,000
	EN2606D	EN2606N	22,500	18,000	45,000
Three Ply	EN3601D	EN3601N	6,200	4,900	12,400
	EN3602D	EN3602N	12,500	10,000	25,000
	EN3603D	EN3603N	16,300	13,000	32,600
	EN3604D	EN3604N	20,600	16,400	41,200
	EN3606D	EN3606N	29,300	23,400	58,600
Four Ply	EN4601D	EN4601N	7,700	6,200	15,400
	EN4602D	EN4602N	15,500	12,400	31,000
	EN4603D	EN4603N	20,800	16,600	41,600
	EN4604D	EN4604N	26,600	21,200	53,200
	EN4606D	EN4606N	37,800	30,200	75,600

General Information
Web Slings
Round Slings
Sling Protection
Wire Rope
Chain Slings
Rigging Hardware
Mesh Slings
Load Huggers
Tow Products
Lift-All Hoists
Hoist Rings
Plate Clamps
Lifting Devices